


BROWNING[®]

2000



Of the highest class!



BROWNING® 2000

The new gas operated Browning 2000 developed by FN's specialists, whose development of automatic weapons research facilities. The following features: 1 versatility 2 easy, swift loading 3 self-cleaning 4 soft recoil 5 the same



1. Extraordinary versatility


Without any special adjustment, the «Browning 2000» can be used to fire both light cartridges (28 g or .98 oz) and heavier cartridges such as the Magnum 2 3/4" (42 g or 1.47 oz). Simply by interchanging the barrel, 3" cartridges of any load can be fired with this gun. As you have a choice of different types of barrels, which can be easily and quickly fitted, you are in the happy position of being able to adapt the gun to whichever type of shooting you wish.

2. Easy, swift loading


After opening the bolt, all that is necessary is to place the first cartridge into the side feed opening, from where it is automatically fed into the chamber. In no time, the other cartridges are in the magazine and you are ready to fire.

3. Self-cleaning gas-operated system

Under the action of gas combustion, the gas cylinder piston not only actuates the bolt mechanism, but also cleans the inside of the gas cylinder, thus eliminating traces of carbon deposit. Therefore you will be able to use the gun throughout the season without the necessity of cleaning.



0 automatic shotgun is of unique design, having been
e many years experience in the field of design and
are allied to the most advanced production and
eatures will be readily appreciated : [1] extraordinary
self-cleaning gas-operated system [4] swift
fety catch, easy to operate [7] unique quality



4. Swift dismantling

One minute's time and a drive punch is all you need to completely dismantle the weapon.

5. Soft recoil



The recoil is soft because part of the recoil energy is used to actuate the bolt mechanism, and much of the remainder is absorbed by three special « dampers ». The result being that the recoil effect on the shoulder is quite negligible.

6. Safety

The transversal safety catch is situated in the trigger-guard, behind the trigger. A red mark is visible when the gun is on « fire ». The safety catch can easily be reversed for left hand shooter.

7. Unique FN-Browning quality



In keeping with FN's proven standards, the « Browning 2000 », too, is of the same class and unequalled quality as all other arms produced by Fabrique Nationale Herstal.



General specification

The following accessories are available at extra charges :

- metal comb raiser
- device to reduce the magazine capacity to 3 or 4 cartridges
- sling swivels.



Gauge	12
Operation	gas operated
Loading capacity	5 x 2 1/2" to 2 3/4" cartridges (3 with reducing device) 4 x 3" Magnum cartridges (3 with reducing device)
Action frame	blued steel, light engraving
Trigger-plate	light alloy, black-anodised
Safety	transversal type, behind the trigger, reversible for left hand shooter
Stock	pistol grip, chequered walnut, matt varnish, moulded butt plate. Dimensions: length - 365 mm (approx. 14 3/8"); drop at comb - 39 mm (approx. 1 5/8"); drop at heel - 61,5 mm (approx. 2 1/2")

Available barrels

Gauge	Chamber	Barrel length	Choke	Overall length
12	2 3/4"	30"	Full	50" 1/4
12	2 3/4"	28"	Skeet, 1/2, 3/4, full	48" 1/4
12	2 3/4"	26"	Skeet, 1/4, 1/2	46" 1/4
12	2 3/4"	24"	Buckshot	44" 1/4
12	3"	32"	Full	52" 1/4
12	3"	30"	Full	50" 1/4



Quality ammunition ensures maximum efficiency. We recommend that FN cartridges should be used.



Cleans, lubricates and protects your firearms.



FABRIQUE NATIONALE HERSTAL S.A. - B-4400 Herstal (Belgium)